

LUGOS^{EVO}

SAFETY KNIFE WITH BLADE-LOADER

Ideal for all handling works and for opening cardboard boxes and packaging.

- SAFETY**
- The blade is in a protected individual-loader: EVO.
 - The blade retracts automatically with the release of the slider.



EVO STOP workplace injuries during blade change

MADE IN MATTER
BIO-BASED AND BIODEGRADABLE



DELIVERED WITH A **EVO** LOADER



FOR RIGHT AND LEFT
HANDED USERS



LIGHT



ERGONOMIC



AUTOMATIC RETRACTABLE
BLADE BY SPRING



RESISTANT TO
DETERGENTS

TECHNICAL SHEET


INNOVATION BLADE-LOADER EVO

SAFETY: NO CONTACT POSSIBLE WITH BLADE,
EVEN DURING LOADER CHANGE.

CLEAN DESIGN FOR BETTER
ERGONOMICS

NON-SLIP SLIDER
IN BI-MATERIAL

PROTECTIVE COVER OF THE
BLADE-LOADER



HOLDING BLADE IN ITS
REMOVABLE LOADER

SPRING FOR AUTOMATIC
RETURN OF THE BLADE IN
THE HANDLE

CLIPS WITH
ZICOU

THE PROS



DELIVERED WITH A **EVO**
LOADER
REF 147A.6.EVO



SAFE **EVO** LOADER CHANGE



ERGONOMIC AND LIGHT FOR RIGHT
AND LEFT HANDED USERS



STRONG STRETCHING SPRING TESTED
FOR MORE THAN 100,000 TIMES

FUNCTIONS



To cut single-wall carton



To cut packaging adhesives



To cut plastic films




To cut textiles

EVO THE INDIVIDUAL BLADE-LOADER **ABSOLUTE SAFETY**

- The user don't change the blade but the loader: no contact with the blade.

MADE IN MATTER
BIO-BASED AND
BIODEGRADABLE



Available loader:
• 147A.6.EVO
• 853A.6.EVO

(Many other **EVO** loaders
with other blades to
come up).

OTHER CHARACTERISTICS

- Very light (34g).
- High cutting precision and easy to use.
- Reversible blade and retractable with a spring.
- Resistant to Acetone and other detergents.
- Material containing Teflon to reduce wear.

BLADE CHANGE

01/ Turn over the knife and press the edge of the orange cover.




02/ It's easy to unclip by pressure.



03/ Turn over the knife and push the loader with your fingertip.




04/ Remove the loader from the knife and turn it over or insert a new one. Close the cover.




BLADES

DELIVERED WITH



REF 147A.6.EVO Thk 3 mm
Blade made of premium quality steel.


OTHERS BLADES



REF 853A.6.EVO Thk 3 mm
Blade made of ceramic.

Blade reference	Description	Type	Dimensions EVO (in mm) Length • Width • Thickness	Sharpening angle	Hardness
147A.6.EVO	EVO Loader with straight blade with a rounded edge	Premium quality steel 65 x 19 x 0,6	66 x 24 x 3	18° - 32°	64,0 Hrc
853A.6.EVO	EVO Loader with straight blade	Ceramic 54,7 x 18,6 x 0,7	66 x 24 x 3	16°	-

TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
CARD-BASED OR IN CARBOARD BOX	50 g	131 x 31 x 16	10	7 units	Body	Polyamide - Fiberglass - Teflon	Anthracite grey
					Slider	POM (Polyoxymethylene)	Orange
					Clip	POM (Polyoxymethylene)	Orange
					Spring	Stainless Steel	Metal grey
					Tray	POM (Polyoxymethylene)	Orange
					EVO Loader	PP (Polypropylene)	Translucent orange

Patented and registered design.



MURE & PEYROT
25, rue Roger Touton • BP 50120
Parc d'Activités Bordeaux Nord
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / Fax: +33 (0)556 693 202 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION
MURE-PEYROT.COM